



Streamlined Pathways to Clinical Success through Integrated Modelling

Jake Dickinson

Internal

Objectives

1. Identify opportunities within different stages of development projects where MIDD can be advantageous
2. Understand applications of a translational semi-mechanistic PK-PD-TGI model to predict clinical Objective Response Rate and efficacious dose to support dose selection
3. Explore how modelling approaches may result in new methodologies

MIDD overview




Figure adapted Huang SM 2019 AAPS

MIDD overview





Figure adapted Huang SM 2019 AAPS


Translational PK/PD/TGI modelling of KRAS G12C inhibitors

Step 1: Establish a preclinical PK-PD-TGI model for compound (Sotorasib)




Dickinson et al 2022 AAPS

Translational PK/PD/TGI modelling of KRAS G12C inhibitors




Accepted single cell-line translational approach




Step 2: Mouse PK model replaced by human PK model

Dickinson et al 2022 AAPS

Translational PK/PD/TGI modelling of KRAS G12C inhibitors




Single, sensitive cell-line can lead to overprediction. Heterogeneity not captured




Dickinson et al 2022 AAPS

Translational PK/PD/TGI modelling of KRAS G12C inhibitors




Novel translational approach

Skoulidis et al 21 NEJM





Step 3: Clinical tumour growth kinetics back-translated




Dickinson et al 2022 AAPS

Translational PK/PD/TGI modelling of KRAS G12C inhibitors




Correlation to reported clinical ORR greatly improved




Dickinson et al 2022 AAPS

Translational PK/PD/TGI modelling of KRAS G12C inhibitors




Novel translational approach

Arbitrary representation of *in vitro* IC₅₀ screening




Step 4: IC₅₀ distribution derived from *in vitro* cell-line screening

Translational PK/PD/TGI modelling of KRAS G12C inhibitors




Clinical ORR captured well by model.
Heterogeneity has been explained



Dickinson et al 2022 AAPS

Translational PK/PD/TGI modelling of KRAS G12C inhibitors



Modelling approach qualified on Adagrasib

Dickinson et al 2022 AAPS

MIDD overview




Figure adapted Huang SM 2019 AAPS

MIDD overview






Figure adapted Huang SM 2019 AAPS

Challenge of clinical studies



Completion rates for Paliperidone Palmitate
Clinical study NCT00590577



High clinical drop out rates

Pharmacokinetic variations






Figure adapted from Paliperidone Palmitate FDA Clinical Pharmacology Review


Capturing pharmacokinetic variations



Modelling different products




MIDD going forward




Gajjar et al 2022 EJPS


MIDD going forward




Gajjar et al 2022 EJPS



MIDD going forward



MIDD going forward




Gajjar et al 2022 EJPS

How different is the relative fraction of zero order input compared to the reference product?

How different is the absorption rate compared to the reference product?

MIDD going forward

Integrate modelling approach with **shorter/smaller** Clinical trials for streamlined development



Gajjar et al 2022 EJPS

Acknowledgments

- The author greatly appreciates comments, helpful suggestions from and valuable discussion with the following colleagues:
- **Boehringer-Ingelheim:**
 - Dr Jens. Quant
 - Dr. Heinrich Huber
 - Dr. Otmar Schaaf
 - Dr. Fabio Savarese
 - Dr. Jan Elias
 - Dr. Lu Vivian Tan
 - Mr. Matthias Klemencic
 - Dr. Johannes Popow
 - Dr. Karl- Heinz Liesenfeld
- **Seda Pharmaceutical Development Services:**
 - Dr. Hitesh Mistry
 - Dr. Paul Dickinson
 - Dr. Parmesh Gajjar
 - Mr. Harri Dickinson
 - Dr. Linette Ruston
 - Dr. Claire Patterson